



**WATEX®**  
Since 1998

# 3 & 6 YEAR GARDEN HOSE


**Applications:**

Gardening, landscaping, irrigation, household water supply, light commercial use

# PRODUCT DESCRIPTION

The Watex Traditional 6 year Garden Hose is built with care, craftsmanship, and an appreciation for heritage techniques. Crafted from PVC, the hose's inner liner is extruded into a precise, seamless tube. It is then reinforced through traditional braided fabric layers of polyester, which are stitched around the tube to add strength and flexibility and help it withstand bursts and

pressure. Over this, an outer PVC cover is applied, often coloured for identification, before the hose is coiled to length. Every tenth coil is thoroughly tested for leaks, pressure resistance, and dimensional accuracy, ensuring a time-honoured product that delivers dependability with every use.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

2500 kPa / 25 bar  
Polyester Yarn  
12mm and 20mm  
With or without fittings  
20, 25, 30, 50, 100 metres

# 8 YEAR GARDEN HOSE

The Watex 8 Year Garden Hose is built with care, craftsmanship, and a commitment to superior durability. Crafted from premium PVC, the hose's inner liner is made thicker and extruded into a precise, seamless tube for greater strength and longevity. It is then reinforced with heavier braided fabric layers of polyester, with thicker yarn stitched around the tube to enhance pressure resistance and flexibility. Over

this, a more robust outer PVC cover is applied, often coloured for easy identification, before the hose is coiled to length. Every tenth coil undergoes rigorous testing for leaks, pressure resistance, and dimensional accuracy, ensuring a product that offers exceptional performance and reliability for years to come.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

3000 kPa / 30 bar  
Polyester Yarn  
12mm and 20mm  
With or without fittings  
20, 25, 30, 50, 100 metres

# 8 YEAR VARIATIONS



## RUBY ASH

Base:



Yarn:



## EMERALD MIST

Base:



Yarn:



## SUNNY SAPPHIRE

Base:



Yarn:



## ROSE QUARTZ

Base:



Yarn:



## ARCTIC JADE

Base:



Yarn:



## CITRUS LIME

Base:



Yarn:



# 12 YEAR GARDEN HOSE

**Applications:**

Gardening, landscaping, irrigation, household water supply, light commercial use

# PRODUCT DESCRIPTION

The Watex 12 Year Garden Hose is built with care, precision, and a focus on lasting performance. Crafted from durable PVC compounds, the hose's inner liner is extruded into a smooth, seamless tube designed for consistent water flow and minimal kinking. It is then reinforced using polyester yarn braiding, providing strength, flexibility, and resistance to twisting under demanding garden use. Over this, a protective PVC outer layer is applied, ensuring

resilience against abrasion, sunlight, and weather, once the hose is coiled to length. Each hose is presented in an innovative circular zip bag, engineered at 35 cm wide, 14 cm high, with an 80 cm zip, providing easy storage, clear product display, and added protection. Supplied complete with a set of blue soft-touch fittings and a pyramid sprinkler, every hose undergoes rigorous testing for burst pressure, flexibility, and dimensional accuracy.



**Burst pressure:**

**Reinforcement:**

**Diameters:**

**Accessories:**

**Lengths:**

3000 kPa / 30 bar

Polyester Yarn

12mm and 20mm

With or without fittings

20, 25, 30, 50, 100 metres

# THICK AND THIN WALL CLEAR TUBING



## QUICKUSE TUBES PACKS

The Watex Clear Tube Packs are made from durable transparent PVC, offering flexibility, clarity, and resistance to kinking. Ideal for light duty use in home, garden, or workshop applications, for all quick and convenient use.


Lengths:

1.5m, 2m, 3m and 5m

# PRODUCT DESCRIPTION

The Watex Clear Tubing is built with care, precision, and a focus on reliable performance across diverse applications. Manufactured from high-quality PVC, the tube is extruded into a smooth, seamless form that ensures consistent flow and excellent transparency for easy inspection. Offered in both thick wall and thin wall options, it provides flexibility, durability,

and resistance to kinking while accommodating different operating requirements. Available in diameters from 3.2 mm up to 32 mm, the tubing is supplied without fittings and can be cut to 30 m, 50 m, or 100 m lengths. Every batch undergoes rigorous testing for clarity, burst pressure up to 8 bar, and dimensional accuracy, ensuring a dependable product that meets a wide range of needs.



<b>Burst pressure:</b>	800 kPa / 8 bar max
<b>Reinforcement:</b>	N/A
<b>Diameters:</b>	3.2mm, 5mm, 6mm, 8mm, 10mm, 12mm, 16mm, 20mm, 25mm and 32mm
<b>Accessories:</b>	without fittings
<b>Lengths:</b>	30, 50 and 100 metres

# WATER, AIR & FUEL CLEAR REINFORCED




**Applications:**

Water, Air, Fuel, Irrigation, Pneumatics, Cooling, Ventilation,  
Transfer, Workshops, Laboratories

# PRODUCT DESCRIPTION

The Watex Water, Air, and Fuel Reinforced Hose is designed with strength, clarity, and versatility in mind. Manufactured from premium transparent PVC, the hose's inner liner is extruded into a smooth, seamless tube that ensures consistent flow and easy visual inspection of contents. Reinforced with high-tenacity polyester yarn braiding, it delivers excellent pressure resistance, flexibility, and kink resistance,

making it suitable for a wide range of applications including water delivery, air lines, and fuel transfer. The clear outer layer allows quick monitoring of flow and fluid condition, while also providing resistance to abrasion and weathering for dependable service indoors or outdoors. Supplied in multiple diameters and coil lengths, every production run is tested for clarity, burst pressure, and dimensional accuracy,



<b>Burst pressure:</b>	4000-6000 kPa / 40 - 60 bar
<b>Reinforcement:</b>	Polyester
<b>Diameters:</b>	3.2mm, 5mm, 6mm, 8mm, 10mm, 12mm, 16mm, 20mm, 25mm and 32mm
<b>Accessories:</b>	without fittings
<b>Lengths:</b>	30, 50 and 100 metres

# 2M LP GAS HOSE & REGULATOR



## **2M LP GAS HOSE & REGULATOR**

Hose for natural gas and liquefied petroleum gas (LPG).  
Hose and tubing for use in natural gas and liquefied  
petroleum gas vapour phase.

Lengths: 1.2m, 1.5m and 2m

LPG – SANS 1156-2012



# PRODUCT DESCRIPTION

The Watex Gas Hose is built with care, precision, and a focus on consistent performance. Crafted from Synthetic Rubber (PR Nitrile), the hose's inner liner is extruded into a smooth, seamless tube designed for safe gas flow and minimal leakage. It is then reinforced using braided fibre layers, using polyester yarn, to provide

strength, flexibility, and resistance to kinking. Over this, a protective PVC outer layer is applied, typically coloured for easy identification in domestic or industrial use, before the hose is coiled to length. Every tenth coil undergoes rigorous testing for flow consistency, pressure resistance, and dimensional accuracy.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

5200 kPa / 52 bar  
Polyester  
6mm, 8mm, 10mm, 12mm,  
Regulator and clips (only in pack)  
30, 50, 100 metres

# MULTI PURPOSE & HEAVY DUTY FUEL HOSE

## **Applications:**

Mining, Quarrying, Drilling, Construction, Tunnelling, Blasting,  
Excavation, Demolition

# PRODUCT DESCRIPTION

The Watex Multi-Purpose Hose is built with care, precision, and a focus on versatility across a wide range of applications. Crafted with a PR Nitrile inner liner, the hose is extruded into a smooth, seamless tube designed for efficient fluid and air flow with minimal permeation. It is then reinforced using polyester yarn braiding, providing strength, flexibility, and resistance

to kinking under varying operating conditions. Over this, a natural nitrile outer cover is applied, offering excellent resistance to abrasion, oils, and weathering, before the hose is coiled to length. Every tenth coil undergoes rigorous testing for flow performance, burst pressure, and dimensional accuracy.



**Burst pressure:**

**Reinforcement:**

**Diameters:**

**Accessories:**

**Lengths:**

5200 kPa / 52 bar

Polyester Yarn

3.2mm, 5mm, 6mm, 8mm, 10mm, 12mm, 20mm and 25mm

without fittings

30, 50 and 100 metres

# ACETYLENE & OXYGEN HOSE

WATEX 8MM ACETYLENE HOSE

**Applications:**

Mining, Quarrying, Drilling, Construction, Tunnelling, Blasting,  
Excavation, Demolition

ACETYLENE HOSE 12

# PRODUCT DESCRIPTION

The Watex Acetylene & Oxygen Hose is built with care, precision, and a focus on safety in demanding environments. Crafted from Synthetic Rubber (PR Nitrile), the hose's inner liner is extruded into a smooth, seamless tube designed for stable gas flow and minimal permeation. It is then reinforced using polyester yarn braiding, providing strength, flexibility, and resistance to twisting or kinking

during welding and cutting operations. Over this, a protective outer layer is applied, coloured distinctly to separate oxygen from acetylene for easy identification and enhanced workplace safety, before the hose is coiled to length. Every tenth coil undergoes rigorous testing for gas tightness, burst pressure, and dimensional accuracy.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

5200 kPa / 52 bar  
Polyester Yarn  
6mm, 8mm, 10mm and 12mm  
without fittings  
30, 50 and 100 metres

# BLACK & BLUE DRAGLINE

**Applications:**

Irrigation, slurry handling, construction dewatering, agricultural pumping, mining operations, industrial water transfer

# PRODUCT DESCRIPTION

The Watex Blue and Black Dragline Hose is engineered with care, precision, and a focus on strength and long-distance performance. Manufactured from durable PVC compounds and reinforced with polyester yarn braiding, it is designed to withstand the rigours of agricultural and industrial dragline systems. Its smooth bore ensures consistent water flow with minimal friction loss, while the tough outer layer provides resistance to abrasion, UV, and

weathering. Flexible yet strong, the hose is lightweight enough for easy handling and transport, while remaining durable under repeated dragging across rough terrain. Distinctive blue and black colouring allows quick identification in the field, ensuring clear separation from other hose types. Available in 3, 5, and 10 year design life options, every tenth coil undergoes rigorous testing for burst pressure, dimensional accuracy,



**Burst pressure:**

**Reinforcement:**

**Diameters:**

**Accessories:**

**Lengths:**

4000 kPa / 40 bar

Polyester Yarn

12mm, 20mm and 25mm

With or without fittings

20, 25, 30, 50, 100 metres

# SMOOTH RIBBED & REINFORCED ANTI-STATIC

## **Applications:**

Water, Air, Fuel, Transfer, Cooling, Irrigation, Drainage, Ventilation, Suction, Discharge, Pumping, Slurry, Agriculture, Pneumatics, Compressors, Machinery, Workshops, Industry, Chemicals.

# PRODUCT DESCRIPTION

The Watex Anti-Static Hose Range is built with care, precision, and a focus on safety in hazardous environments. Designed for industries handling flammable materials, fine powders, and explosive media, these hoses are engineered to dissipate static electricity and prevent dangerous sparks. Crafted from durable compounds, the smooth inner liner is extruded into a seamless tube for reliable flow and reduced material buildup. Reinforced with

high-quality polyester yarn braiding, the hoses deliver strength, flexibility, and resistance to kinking, while specialised anti-static properties ensure safe use across a wide range of applications. Over this, protective outer layers are applied and colour-coded where required for easy identification in industrial settings, before the hose is coiled to length. Every production run undergoes rigorous testing for conductivity, burst pressure, and dimensional accuracy.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

2000-6000 kPa / 20-60 bar  
Polyester Yarn  
12mm, 16mm, 20mm, 25mm and 32mm  
without fittings  
30, 50 and 100 metres

# OPEN CAST ROCKDRILL HOSEPIPE

**Applications:**

Mining, Quarrying, Drilling, Construction, Tunnelling, Blasting,  
Excavation, Demolition

# PRODUCT DESCRIPTION

The Watex Rockdrill Hose is built with care, precision, and a focus on consistent performance. Crafted from durable PVC compounds, the hose's inner liner is extruded into a smooth, seamless tube designed for efficient air flow and minimal pressure loss. It is then reinforced using polyester yarn braiding, providing strength, flexibility, and resistance

to kinking under demanding conditions. Over this, a protective PVC outer layer is applied, typically coloured for easy identification in mining and industrial use, before the hose is coiled to length. Every tenth coil undergoes rigorous testing for air flow, burst pressure, and dimensional accuracy.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

10000 kPa / 100 bar  
Polyester Yarn  
12mm, 20mm and 25mm  
without fittings  
30, 50 and 100 metres



# STANDARD- MEDIUM AND HEAVY DUTY MINING HOSE

**Applications:**

Irrigation, slurry handling, construction dewatering, agricultural pumping, mining operations, industrial water transfer

# PRODUCT DESCRIPTION

The Watex SABS approved Mining Hose Range is designed for reliable performance across standard, medium, and heavy-duty applications. Made from durable PVC compounds and reinforced with polyester yarn braiding, the hoses deliver strength, flexibility, and resistance to abrasion, UV, and weathering. The standard-duty option provides cost-efficient reliability for general water transfer, while the medium-duty hose handles higher pressures for

water, slurry, and air. The heavy-duty hose is engineered for the toughest conditions, reinforced to manage abrasive materials and high-pressure transfer with a rugged outer cover built to endure impact and harsh environments. Distinctive colouring ensures quick identification on site, and every tenth coil is tested for pressure resistance, dimensional accuracy, and leaks, guaranteeing consistent safety and performance in mining operations.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

6800 kPa / 68 bar  
Polyester Yarn  
12mm, 20mm, 25mm, 32mm, 40mm and 50mm  
With or without fittings  
20, 25, 30, 50, 100 metres



# MEDIUM DUTY SUCTION HOSE

**Applications:**

Agriculture, construction, industrial pumping

# PRODUCT DESCRIPTION

The Watex Medium-Duty Suction Hose is built for versatility, durability, and easy handling. Made from high-quality PVC and reinforced with rigid PVC, it efficiently manages a wide range of medium-duty suction and delivery applications. Its distinctive colour allows quick identification in both agricultural and industrial settings. Resistant to abrasion, UV, and weathering, the

Watex Medium-Duty Suction Hose stays flexible across varying temperatures. Lightweight yet strong, it is easy to transport and install, while the corrugated design ensures smooth operation even with frequent use. Every tenth coil is tested for pressure resistance, dimensional accuracy, and leaks, ensuring reliable performance every time.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

N/A  
Rigid PVC  
25mm, 32mm 40mm, 50mm, 63mm, 75mm, 100mm, 125mm and 150mm  
With or without fittings  
30 metres



# HEAVY-DUTY SEEDING HOSE

**Applications:**

Seeding, planting, fertiliser distribution, precision farming, greenhouse use, bulk seed handling

# PRODUCT DESCRIPTION

The Watex Seeding Hose is built with care, precision, and a focus on consistent performance. Crafted from durable PVC, the hose's inner liner is extruded into a smooth, seamless tube designed for efficient seed flow and minimal clogging. It is then reinforced with rigid PVC, to provide strength, flexibility, and resistance

to kinking. Over this, a protective PVC outer layer is applied, typically coloured for easy identification in the field, before the hose is coiled to length. Every tenth coil undergoes rigorous testing for flow consistency, pressure resistance, and dimensional accuracy, ensuring a reliable product that delivers season after season.



**Burst pressure:**  
**Reinforcement:**  
**Diameters:**  
**Accessories:**  
**Lengths:**

N/A  
Rigid PVC  
25mm, 32mm 40mm, 50mm, 63mm, 75mm, 100mm, 125mm and 150mm  
With or without fittings  
30 metres

# HEAVY-DUTY SUCTION HOSE



**Applications:**

Agriculture, construction, industrial pumping

# PRODUCT DESCRIPTION

The Watex Heavy-Duty Suction Hose is built for strength, flexibility, and durability. Made from premium PVC and reinforced with a rigid PVC, it handles demanding suction and delivery applications with ease. Its thick inner wall ensures long life, while the high-visibility colour allows quick identification in busy

environments. Resistant to abrasion, UV, and weathering, it stays flexible across a wide temperature range. Lightweight yet tough, it is easy to install, and its corrugated design ensures smooth operation even under heavy-duty conditions. Every tenth coil is tested for pressure, accuracy, and leaks to guarantee reliable performance.



<b>Burst pressure:</b>	N/A
<b>Reinforcement:</b>	Rigid PVC
<b>Diameters:</b>	25mm, 32mm 40mm, 50mm, 63mm, 75mm, 100mm, 125mm and 150mm
<b>Accessories:</b>	With or without fittings
<b>Lengths:</b>	30 metres

# ABS FITTINGS



## 12MM CONNECTOR

### UNIVERSAL SNAP-FIT GARDEN HOSE ADAPTER FOR 12MM PIPING

Built for quick, watertight hose connections, the 12mm Connector fits most standard hoses and is ideal for garden or workshop use. Its ABS body and textured grip make it easy to handle, even when wet.

Colour:



## 12MM CONNECTOR WITH STOP

### SELF-SEALING SNAP-FIT ADAPTER FOR CONTROLLED WATER FLOW

The 12mm Connector with Stop shuts off water when disconnected, letting you swap tools without turning off the tap. It's durable, grippy, and mess-free.

Colour:





## 20MM CONNECTOR

### HEAVY-DUTY SNAP-FIT HOSE CONNECTOR FOR 20MM HOSES.

Made for larger hose systems, the 20mm Connector delivers a tight, leak-free fit with a tough ABS body and grippy design for heavy-duty use.

Colour:



## 20MM CONNECTOR WITH STOP

### FLOW-CONTROL CONNECTOR WITH AUTO SHUT-OFF FOR 20MM HOSES

The 20mm Connector with Stop cuts water flow when unplugged, letting you switch tools splash-free. Tough ABS and a grippy build keep things smooth and easy.

Colour:



## HOSE MENDER

### REPAIR CONNECTOR FOR 12MM & 20MM HOSES

This Hose Mender repairs 12mm and 20mm hoses fast, sealing leaks with a tight fit. Its tough build and ridged grip make fixes quick and easy, long-lasting.

Colour:





## 12MM / 19MM TAP ADAPTOR

### FLEXIBLE SIZE CONNECTION FOR MULTIPLE TAP SIZES

Compatible with both 12mm and 19mm taps, this adaptor provides a versatile solution for various garden set-ups, ensuring a snug, secure fit every time.

Colour:



## ONE WAY HOSE JOINER

### SECURE CONNECTION FOR JOINING TWO HOSES WITH EASE

Designed to join two hoses securely, this one-way hose joiner ensures a reliable, leak-free connection for uninterrupted watering. Perfect for extending hose length when needed.

Colour:



## TAP ADAPTOR

### QUICK TAP-TO-HOSE CONNECTION FOR GARDEN WATERING SYSTEMS

This tap adaptor allows for quick and easy connection between your tap and hose system. Made from durable materials for long-lasting performance.

Colour:



# ABS SPRAYERS



## 5 FUNCTION SPRAYER

### MULTI-PATTERN NOZZLE FOR VERSATILE GARDEN WATERING

Choose from five spray settings with this ergonomic sprayer, built for everything from gentle misting to powerful rinsing. A great all-rounder for garden care.



## ADJUSTABLE SOFT SPRAYER

### GENTLE FLOW SPRAYER FOR SENSITIVE PLANTS

Designed for gentle watering, this soft sprayer features a wide, adjustable head ideal for delicate plants and flower beds.





## SOFT SPRAYER

### EVEN-SPRAY NOZZLE FOR DELICATE WATERING TASKS

Great for tender greens and young plants, this sprayer gives an even, soft spray that won't disturb the soil.



## 6 FUNCTION AQUA GUN

### TRIGGER SPRAY GUN WITH 6 CUSTOMISABLE MODES

This aqua gun features six spray modes and a comfort-grip trigger, giving you full control for washing, watering, or soaking.



## FAN SPRAYER

### WIDE-COVERAGE SPRAYER FOR FLOWERBEDS & LAWNS

Covers more with less effort. The fan sprayer offers wide, even coverage that's perfect for flowers, lawns, and beds.

Size: 12mm & 20mm





## BABY SPIKE SPRINKLER

### GROUND STAKE FOR FIXING SPRAY-ERS OR SPRINKLERS

Anchor your sprayer with this tough ground spike. Easy to insert and fits most fittings for stable, hands-free watering.



## ADJUSTABLE HOSE NOZZLE

### COMPACT PRESSURE-CONTROL NOZZLE FOR PRECISE USE

A compact nozzle with adjustable pressure for targeted watering or rinsing. Durable, grippy, and simple to use.




## PYRAMID SPRAYER

### STABLE BASE SPRINKLER FOR MEDIUM COVERAGE


Built with a wide, steady base, this pyramid sprayer delivers balanced, even coverage for small to medium garden zones.



# WHITE LABEL WITH US.



- 1.**  
SELECT YOUR BASE  
PANTONE



**2.**  
SELECT YARN PLY

**3.**  
DESIGN YOUR HOSE  
PACKAGING

**4.**  
MIN ORDER QTY  
1600 METRES



**Contact us**

011 769 2600  
Scott@watex.co.za  
Adolph@watex.co.za

**Head Office**

9 Davies Street  
Chamdor  
Krugersdorp

[www.watex.co.za](http://www.watex.co.za)